Ref #	Hits ·	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3138	(transmission or transmitting or transmit) near3 line near3 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 13:58
S2	498	S1 and (DAC or (digital near3 analog near3 convert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 06:51
S3	167	S2 and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/04 12:26
S4	3138	(transmission or transmitting or transmit) near3 line near3 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/04 12:27
S5	498	S4 and (DAC or (digital near3 analog near3 convert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/04 12:27
S6	167	S5 and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/04 12:27
S7	117	S6 and (reconfigur\$4 or configur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/04 12:27
S8	30	S7 and (voltage near2 mode) and (current near2 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/04 13:40

				·		
S9	1	S4 and (reconfigur\$4 same (voltage mode) same (current mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/04 13:42
S10	7	S4 and (reconfigur\$4 same (characteristic or impedance or resistance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/04 13:43
S11	1815	((transmitting or transmit or transmission) near2 line near2 driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 13:59
S12	578	S11 and switch and ((transmit or transmitting or transmission) with (impedance or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 14:07
S13	410	S12 and mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 14:00
S14	113	S12 and (mode with switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 14:07
S15	239	S11 and (dac or (digital near3 analog near3 converter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 14:07
S16	87	S15 and switch and ((transmit or transmitting or transmission) with (impedance or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 14:47

S17	51	S16 and (mode with switch)	US-PGPUB;	ADJ	ON	2007/08/06 14:47
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S18	34	S17 and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 14:48
S19	68	S15 and switch and ((transmit or transmitting or transmission) with (impedance or characteristic) with line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 15:31
S20	39	S19 and (mode with switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 14:47
S21	28	S20 and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 14:59
S22	1365	375/257.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 15:00
S23	54	S22 and dac and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 15:00
S24	46	S23 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 15:00

8/14/2007 11:52:26 AM C:\Documents and Settings\slee7\My Documents\EAST\Workspaces\10698976 amendment.wsp Page 3

S25	43	S24 and (switch or mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 06:50
S26	2929	((transmit or transmitting or transmission) near3 driver near3 line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 15:32
S27	979	S26 and ((transmit or transmitting or transmission) near3 line near3 (impedance or characteristic or resistance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 15:36
S28	563	S27 and mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 15:37
S29	133	S28 and ((impedance or resistance or characteristic) with (vary or varies))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 15:37
S30	3139	(transmission or transmitting or transmit) near3 line near3 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:49
S31	498	S30 and (DAC or (digital near3 analog near3 convert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:16
S32	259	S31 and (switch\$3 with control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 06:53

8/14/2007 11:52:26 AM C:\Documents and Settings\slee7\My Documents\EAST\Workspaces\10698976 amendment.wsp Page 4

S33	84	S32 and @rlad<"20031031"	US-PGPUB; USPAT;	ADJ	ON	2007/08/07 08:34
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S34	46	S33 and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:33
S35	14817	(line near3 driv\$3) and (line with characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:34
S36	128	S35 and dac and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:34
S37	105	S36 and line near3 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:34
S38	89	S37 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:34
S39	25	S38 and @rlad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:17
S40	23	S39 and (configur\$4 or reconfigur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:37

S41	2872	dac and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:51
S42	229	S41 and conversion circuit\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:52
S43	0	S42 and ((conversion circuit\$2) with (configurable or reconfigurable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:53
S44	45	S30 with (DAC or (digital near3 analog near3 convert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:16
S45	21	S44 and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:17
S46	11	S45 and @rlad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:41
S47	1836	375/257	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:26
S48	59	S47 and dac and (line near3 driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:26

					<u> </u>	
549	22	S48 and @rlad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:28
S50	222	S30 and power line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:41
S51	73	S50 and @rlad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:49
S52	41	S51 and line driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:11
S53	28	reconfigurable with line with driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:25
S54	143	configurable with line with driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:25
S55	21	S54 and dac and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:28
S56	47	(line near2 driver) with transformer with (dac or (digital near3 analog near4 converter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:28

S57	21	S56 and @rlad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:29
S58	325	S30 and (impedance near4 (chang\$3 or var\$3 or vary\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:49
S59	75	S58 and @rlad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:50

8/14/2007 11:52:26 AM C:\Documents and Settings\slee7\My Documents\EAST\Workspaces\10698976 amendment.wsp Page 8